

4439 Polaris Ave. Las Vegas, NV, 89103, US (702) 728-5180

Kaycha Labs

Superior Nano 2% Full Spec 5:1 Matrix: Infused Product Type: Other -Not Listed



Harvest/Lot ID: SUP24-FS02-5:1-N Batch#: SUP24-FSO2-5:1-N

Laboratory License # 69204305475717257553

Retail Product Size: 1 ml Retail Serving Size: 1 ml

Sample:LA40522004-004

Servings: 1

Sample Density: 0.95 g/mL Ordered: 05/21/24

Sampled: 05/22/24 Completed: 05/28/24

Certificate of Analysis



May 28, 2024 | Remederi

PASSED

SAFETY RESULTS









NOT TESTED



NOT TESTED



PASSED



Solvents **NOT TESTED**



NOT TESTED



NOT TESTED



NOT TESTED



Homogeneity Testing **NOT TESTED**



Terpenes **TESTED**

PASSED



Cannabinoid



0.3030%




Total CBD 1.3080%



Total Cannabinoids 2.1510%

Extracted by: 1525



Reviewed On: 05/28/24 12:20:04 Batch Date: 05/22/24 17:06:52

Extraction date: 05/24/24 09:24:26 Analyzed by: 1525, 888, 1526

Analysis Method: SOP.T.30.031.NV; SOP.T.40.031.NV Analytical Batch: LA005501POT

Instrument Used : LV-SHIM-002
Analyzed Date : N/A

mg/ml

LOQ

Dilution: 400

Reagent: 120723.25; 040224.02; 040924.22; 030924.09; 051424.R21; 052224.R16
Consumables: 20220103; 042c6; 258638; 268704
Pipette: LV-PIP-015; LV-PIP-008; LV-PIP-023

told analysis utilizing Ultra High Performance Liquid Chromatography with UV Detection (UHPLC-UV). Method SOP.T.30.031.NV for sample preparation and SOP.T.40.031.NV for analysis. Total THC = d8-THC + d9-THC + 0.877 * THCA, Total CBD = CBD + 0.877

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is an Kaycha Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request.The "Decision Rule" for the pass/fail does not include the UM. The limits are based on NV regulations.

Kelly Zaugg

Lab Director

State License # L003 ISO 17025 Accreditation # ISO/IEC 17025:2017: 97164



Signature 05/28/24



(702) 728-5180

Kaycha Labs

Superior Nano 2% Full Spec 5:1 Matrix: Infused Product Type: Other - Not Listed



Certificate of Analysis

PASSED

Sample : LA40522004-004 Harvest/Lot ID: SUP24-FS02-5:1-N

Batch#: SUP24-FSO2-5:1-N Sampled: 05/22/24 Ordered: 05/22/24

Completed: 05/28/24 Expires: 05/28/25 Sample Method : SOP Client Method

cotoxins

PASSED

Analyte	LOQ	Units	Result	Pass / Fail PASS	Action Level 0.02	
TOTAL AFLATOXINS (B1, B2, G1, G2)		0.01	ppm			<loq< th=""></loq<>
OCHRATOXIN A		0.01	ppm	<loq< th=""><th>PASS</th><th>0.02</th></loq<>	PASS	0.02
Analyzed by:	Weight:	Extraction d	ate:	Ext	racted by	:

Analysis Method: SOP.T.30.101.NV; SOP.T.40.101.NV Analytical Batch: LA005519MYC Review **Reviewed On :** 05/28/24 13:18:36 $\textbf{Instrument Used:} \ \mathbb{N}/\mathbb{A}$ Batch Date: 05/24/24 12:20:01 Analyzed Date: N/A

Dilution: N/A

Reagent: 032724.R05; 021424.R24; 021324.R10; 043024.R22; 032724.R16; 032724.R17; 032724.R06

879, 1526

Consumables: 20220103; 042c6; 251697
Pipette: LV-PIP-039; LV-PIP-019; LV-PIP-040; LV-PIP-041; LV-PIP-030; LV-PIP-034; LV-PIP-020;

 $\label{total Aflatoxins B1, B2, G1, G2, and Ochratoxin A screening are performed by LC/MS/MS following SOP.T.30.101.NV and SOP.T.40.101.NV.$

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is an Kaycha Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on NV regulations.

Kelly Zaugg

Lab Director

State License # L003 ISO 17025 Accreditation # ISO/IEC 17025:2017: 97164



Signature 05/28/24



4439 Polaris Ave. Las Vegas, NV, 89103, US (702) 728-5180

Kaycha Labs

Superior Nano 2% Full Spec 5:1 Matrix: Infused Product Type: Tincture



Sample:LA40621006-001.WL

Batch#: SUP24-FSO2-5:1-N

Laboratory License # 69204305475717257553

Servings: 1

Ordered: 06/19/24 Sampled: 06/21/24 Completed: 06/26/24





Jun 26, 2024 | Remederi

PASSED

SAFETY RESULTS







NOT TESTED



NOT TESTED



NOT TESTED



Solvents





NOT TESTED



NOT TESTED



NOT TESTED



Homogeneity Testing **NOT TESTED**





Terpenes **TESTED**

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is an Kaycha Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on NV regulations.

Kelly Zaugg Lab Director

State License # L003 ISO 17025 Accreditation # ISO/IEC 17025:2017: 97164

4-3 65

Signature 06/26/24



4439 Polaris Ave. Las Vegas, NV, 89103, US (702) 728-5180

Kaycha Labs

Superior Nano 2% Full Spec 5:1 Matrix: Infused Product

Type: Tincture



Certificate of Analysis

PASSED

Sample : LA40621006-001

Batch#:SUP24-FSO2-5:1-N Sampled: 06/21/24 Ordered: 06/21/24

Sample Method: SOP Client Method



Terpenes

TESTED

Terpenes	LOQ mg/	g %	Result (%)	Terpenes		LOQ (%)	mg/g	%	Result (%)
TOTAL TERPENES	0.0200 0.95	0.0950		ALPHA-PINENE		0.0200	<loq< th=""><th><l0q< th=""><th></th></l0q<></th></loq<>	<l0q< th=""><th></th></l0q<>	
BETA-CARYOPHYLLENE	0.0200 0.52	0.0520		ALPHA-TERPINENE		0.0200	<loq< th=""><th><l0q< th=""><th></th></l0q<></th></loq<>	<l0q< th=""><th></th></l0q<>	
D-LIMONENE	0.0200 0.43	0.0430		ALPHA-TERPINEOL		0.0200	<loq< th=""><th><loq< th=""><th></th></loq<></th></loq<>	<loq< th=""><th></th></loq<>	
BORNEOL	0.0200 <lo< th=""><th>Q <loq< th=""><th></th><th>BETA-MYRCENE</th><th></th><th>0.0200</th><th><loq< th=""><th><loq< th=""><th></th></loq<></th></loq<></th></loq<></th></lo<>	Q <loq< th=""><th></th><th>BETA-MYRCENE</th><th></th><th>0.0200</th><th><loq< th=""><th><loq< th=""><th></th></loq<></th></loq<></th></loq<>		BETA-MYRCENE		0.0200	<loq< th=""><th><loq< th=""><th></th></loq<></th></loq<>	<loq< th=""><th></th></loq<>	
CAMPHENE	0.0200 <lo< th=""><th>Q <loq< th=""><th></th><th>BETA-PINENE</th><th></th><th>0.0200</th><th><loq< th=""><th><loq< th=""><th></th></loq<></th></loq<></th></loq<></th></lo<>	Q <loq< th=""><th></th><th>BETA-PINENE</th><th></th><th>0.0200</th><th><loq< th=""><th><loq< th=""><th></th></loq<></th></loq<></th></loq<>		BETA-PINENE		0.0200	<loq< th=""><th><loq< th=""><th></th></loq<></th></loq<>	<loq< th=""><th></th></loq<>	
CAMPHOR	0.0200 <lo< th=""><th>Q <loq< th=""><th></th><th>DELTA-3-CARENE</th><th></th><th>0.0200</th><th><loq< th=""><th><loq< th=""><th></th></loq<></th></loq<></th></loq<></th></lo<>	Q <loq< th=""><th></th><th>DELTA-3-CARENE</th><th></th><th>0.0200</th><th><loq< th=""><th><loq< th=""><th></th></loq<></th></loq<></th></loq<>		DELTA-3-CARENE		0.0200	<loq< th=""><th><loq< th=""><th></th></loq<></th></loq<>	<loq< th=""><th></th></loq<>	
CARYOPHYLLENE OXIDE	0.0200 <lo< th=""><th>Q <loq< th=""><th></th><th>GAMMA-TERPINENE</th><th></th><th>0.0200</th><th><loq< th=""><th><loq< th=""><th></th></loq<></th></loq<></th></loq<></th></lo<>	Q <loq< th=""><th></th><th>GAMMA-TERPINENE</th><th></th><th>0.0200</th><th><loq< th=""><th><loq< th=""><th></th></loq<></th></loq<></th></loq<>		GAMMA-TERPINENE		0.0200	<loq< th=""><th><loq< th=""><th></th></loq<></th></loq<>	<loq< th=""><th></th></loq<>	
CEDROL	0.0200 <lo< th=""><th>Q <loq< th=""><th></th><th>Analyzed by:</th><th>Weight:</th><th>Ext</th><th>raction o</th><th>late:</th><th>Extracted by:</th></loq<></th></lo<>	Q <loq< th=""><th></th><th>Analyzed by:</th><th>Weight:</th><th>Ext</th><th>raction o</th><th>late:</th><th>Extracted by:</th></loq<>		Analyzed by:	Weight:	Ext	raction o	late:	Extracted by:
EUCALYPTOL	0.0200 <lo< th=""><th>Q <loq< th=""><th></th><th>N/A</th><th>NA</th><th>N/A</th><th>4</th><th></th><th>N/A</th></loq<></th></lo<>	Q <loq< th=""><th></th><th>N/A</th><th>NA</th><th>N/A</th><th>4</th><th></th><th>N/A</th></loq<>		N/A	NA	N/A	4		N/A
FARNESENE	0.0200 <lo< th=""><th>Q <loq< th=""><th></th><th>Analysis Method : SOP.T.3</th><th>30.061.NV; SOF</th><th></th><th></th><th></th><th></th></loq<></th></lo<>	Q <loq< th=""><th></th><th>Analysis Method : SOP.T.3</th><th>30.061.NV; SOF</th><th></th><th></th><th></th><th></th></loq<>		Analysis Method : SOP.T.3	30.061.NV; SOF				
FENCHOL	0.0200 <lo< th=""><th>Q <loq< th=""><th></th><th>Analytical Batch : N/A Instrument Used : N/A</th><th></th><th></th><th>eviewed atch Date</th><th></th><th>26/24 11:26:17</th></loq<></th></lo<>	Q <loq< th=""><th></th><th>Analytical Batch : N/A Instrument Used : N/A</th><th></th><th></th><th>eviewed atch Date</th><th></th><th>26/24 11:26:17</th></loq<>		Analytical Batch : N/A Instrument Used : N/A			eviewed atch Date		26/24 11:26:17
FENCHONE	0.0200 <lo< th=""><th>Q <loq< th=""><th></th><th>Analyzed Date : N/A</th><th></th><th>ь</th><th>attii Dati</th><th>2 · 14//~</th><th></th></loq<></th></lo<>	Q <loq< th=""><th></th><th>Analyzed Date : N/A</th><th></th><th>ь</th><th>attii Dati</th><th>2 · 14//~</th><th></th></loq<>		Analyzed Date : N/A		ь	attii Dati	2 · 14//~	
GERANIOL	0.0200 <lo< th=""><th>Q <loq< th=""><th></th><th>Dilution : N/A</th><th></th><th></th><th></th><th></th><th></th></loq<></th></lo<>	Q <loq< th=""><th></th><th>Dilution : N/A</th><th></th><th></th><th></th><th></th><th></th></loq<>		Dilution : N/A					
GERANYL ACETATE	0.0200 <lo< th=""><th>Q <loq< th=""><th></th><th>Reagent : N/A</th><th></th><th></th><th></th><th></th><th></th></loq<></th></lo<>	Q <loq< th=""><th></th><th>Reagent : N/A</th><th></th><th></th><th></th><th></th><th></th></loq<>		Reagent : N/A					
GUAIOL	0.0200 <lo< th=""><th>Q <loq< th=""><th></th><th>Consumables : N/A Pipette : N/A</th><th></th><th></th><th></th><th></th><th></th></loq<></th></lo<>	Q <loq< th=""><th></th><th>Consumables : N/A Pipette : N/A</th><th></th><th></th><th></th><th></th><th></th></loq<>		Consumables : N/A Pipette : N/A					
HEXAHYDROTHYMOL	0.0200 <lo< th=""><th>Q <loq< th=""><th></th><th></th><th></th><th></th><th></th><th></th><th></th></loq<></th></lo<>	Q <loq< th=""><th></th><th></th><th></th><th></th><th></th><th></th><th></th></loq<>							
ISOBORNEOL	0.0200 <lo< th=""><th>Q <loq< th=""><th></th><th>SOP.T.40.061.NV.</th><th>ned using gas chr</th><th>romatograp</th><th>ny with m</th><th>ass spect</th><th>rometry following SOP.T.30.061.NV and</th></loq<></th></lo<>	Q <loq< th=""><th></th><th>SOP.T.40.061.NV.</th><th>ned using gas chr</th><th>romatograp</th><th>ny with m</th><th>ass spect</th><th>rometry following SOP.T.30.061.NV and</th></loq<>		SOP.T.40.061.NV.	ned using gas chr	romatograp	ny with m	ass spect	rometry following SOP.T.30.061.NV and
ISOPULEGOL	0.0200 <lo< th=""><th>Q <loq< th=""><th></th><th></th><th></th><th></th><th></th><th></th><th></th></loq<></th></lo<>	Q <loq< th=""><th></th><th></th><th></th><th></th><th></th><th></th><th></th></loq<>							
LINALOOL	0.0200 <lo< th=""><th>Q <loq< th=""><th></th><th></th><th></th><th></th><th></th><th></th><th></th></loq<></th></lo<>	Q <loq< th=""><th></th><th></th><th></th><th></th><th></th><th></th><th></th></loq<>							
NEROL	0.0200 <lo< th=""><th>Q <loq< th=""><th></th><th></th><th></th><th></th><th></th><th></th><th></th></loq<></th></lo<>	Q <loq< th=""><th></th><th></th><th></th><th></th><th></th><th></th><th></th></loq<>							
NEROLIDOL	0.0200 <lo< th=""><th>Q <loq< th=""><th></th><th></th><th></th><th></th><th></th><th></th><th></th></loq<></th></lo<>	Q <loq< th=""><th></th><th></th><th></th><th></th><th></th><th></th><th></th></loq<>							
OCIMENE	0.0200 <lo< th=""><th>Q <loq< th=""><th></th><th></th><th></th><th></th><th></th><th></th><th></th></loq<></th></lo<>	Q <loq< th=""><th></th><th></th><th></th><th></th><th></th><th></th><th></th></loq<>							
PULEGONE	0.0200 <lo< th=""><th>Q <loq< th=""><th></th><th></th><th></th><th></th><th></th><th></th><th></th></loq<></th></lo<>	Q <loq< th=""><th></th><th></th><th></th><th></th><th></th><th></th><th></th></loq<>							
SABINENE	0.0200 <lo< th=""><th>Q <loq< th=""><th></th><th></th><th></th><th></th><th></th><th></th><th></th></loq<></th></lo<>	Q <loq< th=""><th></th><th></th><th></th><th></th><th></th><th></th><th></th></loq<>							
SABINENE HYDRATE	0.0200 <lo< th=""><th>Q <loq< th=""><th></th><th></th><th></th><th></th><th></th><th></th><th></th></loq<></th></lo<>	Q <loq< th=""><th></th><th></th><th></th><th></th><th></th><th></th><th></th></loq<>							
TERPINOLENE	0.0200 <lo< th=""><th>Q <loq< th=""><th></th><th></th><th></th><th></th><th></th><th></th><th></th></loq<></th></lo<>	Q <loq< th=""><th></th><th></th><th></th><th></th><th></th><th></th><th></th></loq<>							
VALENCENE	0.0200 <lo< th=""><th>Q <loq< th=""><th></th><th></th><th></th><th></th><th></th><th></th><th></th></loq<></th></lo<>	Q <loq< th=""><th></th><th></th><th></th><th></th><th></th><th></th><th></th></loq<>							
ALPHA-BISABOLOL	0.0200 <lo< th=""><th>Q <loq< th=""><th></th><th></th><th></th><th></th><th></th><th></th><th></th></loq<></th></lo<>	Q <loq< th=""><th></th><th></th><th></th><th></th><th></th><th></th><th></th></loq<>							
ALPHA-CEDRENE	0.0200 <lo< th=""><th>Q <loq< th=""><th></th><th></th><th></th><th></th><th></th><th></th><th></th></loq<></th></lo<>	Q <loq< th=""><th></th><th></th><th></th><th></th><th></th><th></th><th></th></loq<>							
ALPHA-HUMULENE	0.0200 <lo< th=""><th>Q <loq< th=""><th></th><th></th><th></th><th></th><th></th><th></th><th></th></loq<></th></lo<>	Q <loq< th=""><th></th><th></th><th></th><th></th><th></th><th></th><th></th></loq<>							
ALPHA-PHELLANDRENE	0.0200 <lo< th=""><th>Q <loq< th=""><th></th><th></th><th></th><th></th><th></th><th></th><th></th></loq<></th></lo<>	Q <loq< th=""><th></th><th></th><th></th><th></th><th></th><th></th><th></th></loq<>							
Total (%)		0.0950							

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is an Kaycha Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on NV regulations.

Kelly Zaugg

Lab Director

State License # L003 ISO 17025 Accreditation # ISO/IEC 17025:2017: 97164



Signature 06/26/24